ELSEVIER

Volumes 275–277, 24 July 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Preface xv

Synthesis and Structure

Recent progress in tetravalent terbium chemistry 1
D. Avignant, E. Largeau, V. Gaumet, P. Dugat, M. El-Ghozzi (Aubière, France)

On synthesis and magnetic properties of $YFe_{10}Si_2Z_x$ (Z=H and N) 6
Q.M. Cheng, J.H. Lin, M.Z. Su (Beijing, China)

Deposition of lanthanum sulfide thin films by atomic layer epitaxy 10
K. Kukli, H. Heikkinen, E. Nykänen, L. Niinistö (Espoo, Finland)

Influence of rare-earth ions on fluorogallate glass formation and properties 15
G. Zhang, M.J. Poulain (Rennes, France)

A novel class of luminescent polymers obtained by the sol–gel approach 21
V. de Zea Bermudez (Vila Real, Portugal), L.D. Carlos (Aveiro, Portugal), M.C. Duarte (Vila Real, Portugal), M.M. Silva, C.J.R. Silva, M.J. Smith (Braga, Portugal), M. Assunção (Aveiro, Portugal), L. Alcácer (Lisboa, Portugal)

Crystal structure and magnetic properties of the $RCo_{5-x}Ga_x$ (x=1, 1.5, 2, 3, 4) and $RCo_{4-x}FeGa_x$ (x=1, 2) compounds (R=rare earth) 27
Ch. Routsi (Xanthi, Greece)

The prediction of the structure of members of the homologous series of the higher rare earth oxides 30
Z.C. Kang, L. Eyring (Tempe, AZ, USA)

Magnetic and structural properties of superconducting $PrBa_2Cu_3O_y$ grown by the TSFZ method 37
Z. Zou, J. Ye, K. Oka (Ibaraki, Japan), Y. Nishihara (Ibaraki and Mito, Japan)

Rare earth iron garnets and rare earth iron binary oxides synthesized by microwave monomode 41
M. Gasgnier (Orsay, France), J. Ostoréro (Meudon, France), A. Petit (Orsay, France)

Synthesis and structure of the first cerium iodothiosilicate: $Ce_3(SiS_4)_2I$ 46
G. Gauthier, S. Kawasaki, S. Jobic (Nantes, France), P. Macaudiere (Aubervilliers, France), R. Brec, J. Rouxel (Nantes, France)

A new honeycomb-like molecular compound: $Gd[C_6H_3(COO)_3](H_2O)_3 \cdot 1.5H_2O$ 50
C. Daiguebonne, Y. Gérault, O. Guillou, A. Lecerf (Rennes, France), K. Boubekeur, P. Batail (Nantes, France), M. Kahn, O. Kahn (Pessac, France)

Studies on selenates XIII: Synthesis and crystal chemical characterisation of $K_3Ln(SeO_4)_3.nH_2O$ 54
M.A. Nabar, V.R. Naik (Bombay, India)

Preparation of Ce–Pr mixed carbide by carbothermic reduction 58
T. Nakagawa, A. Nakahara, K. Idehara, M. Katsura (Osaka, Japan)

Crystal structures and magnetic behaviour of new complex lanthanide chlorides with organic cations 62
A. Becker, W. Urland (Hannover, Germany)

Growth by liquid phase epitaxy and characterization of Nd:$YLiF_4$ layers 67
L. Douysset-Bloch, B. Ferrand, M. Couchaud, L. Fulbert (Grenoble, France), M.F. Joubert, G. Chadeyron, B. Jacquier (Villeurbanne, France)

Synthesis of $Y_3Al_5O_{12}:Eu^{3+}$ phosphor by sol-gel method and its luminescence behavior 72
S.-K. Ruan (Beijing, P.R. China), J.-G. Zhou (Beijing and Xinxiang, P.R. China), A.-M. Zhong, J.-F. Duan, X.-B. Yang, M.-Z. Su (Beijing, P.R. China)

Arc-melting synthesis and crystal chemistry of $RT_2B_2(C)$ (R=rare earth, T=Rh, Co) compounds 76
J. Ye (Ibaraki, Japan), T. Shishido (Sendai, Japan), T. Matsumoto (Ibaraki, Japan), T. Fukuda (Sendai, Japan)

$In(PO_3)_3$ stabilised fluoroindate glasses 81
Y. Messaddeq, D. Grando, P. Melnikov, S.J.L. Ribeiro (Araraquara, Brazil), L.F.C. Oliveira (Juiz de Fora, Brazil)

Elsevier Science S.A.

Synthesis, characterization and spectroscopy of the europium doped lanthanum trimetaphosphate . . . 86
E.B. Stucchi, A.M. de Castro, M.A. Couto Dos Santos, P. Melnikov (Araraquara, Brazil)

Preparation, characterization and spectroscopy of the europium diphenylphosphinate complex . . . 89
E.B. Stucchi, S.L. Scarpari, M.A. Couto Dos Santos, S.R.A. Leite (Araraquara, Brazil)

Investigations of alkaline rare earth orthophosphates $M_3RE(PO_4)_2$ . . . 93
L. Schwarz, M. Kloss, A. Rohmann, U. Sasum, D. Haberlandl (Greifswald, Germany)

The substitution of cations by magnesium in the structure $K_3Ho(VO_4)_2$ . . . 96
L.N. Komissarova, A.P. Bobylev, M.N. Boubentsova, F.M. Spiridonov (Moscow, Russia), P. Melnikov (Araraquara, Brazil)

Stabilisation of high dissociation pressure hydrides of formula $La_{1-x}Ce_xNi_5$ (x=0–0.3) with carbon monoxide . . . 99
S. Corré (Osaka, Japan and Grenoble, France), M. Bououdina (Ibaraki, Japan), D. Fruchart (Grenoble, France), G.-y. Adachi (Osaka, Japan)

Radiation defects in Dy^{3+} doped $LiNbO_3$ single crystals . . . 105
S.M. Kaczmarek, T. Łukasiewicz, I. Pracka, R. Jabłoński (Warsaw, Poland), G. Boulon (Villeurbanne, France), B. Kaczmarek, S. Warchoł (Warsaw, Poland)

Stabilization of Ni^+ in defect perovskites $La(Ni_{1-x}Al_x)O_{2+x}$ with 'infinite-layer' structure . . . 109
M.J. Martínez-Lope, M.T. Casais, J.A. Alonso (Madrid, Spain)

Preparation and characterization of alkali- and alkaline earth-based rare earth sulfides . . . 113
H. Laronze, A. Demourgues, A. Tressaud, L. Lozano, J. Grannec, F. Guillen (Pessac, France), P. Macaudière, P. Maestro (Aubervilliers, France)

Thermodynamic and structural comparison between two potential metal-hydride battery materials $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}$ and $CeNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}$ . . . 118
J.-M. Joubert, M. Latroche, A. Percheron-Guégan (Meudon, France), F. Bourée-Vigneron (Gif sur Yvette, France)

On the 22–23 K superconducting phase in the Y–Pd–B–C system . . . 123
E. Tominez (Meudon, France), P. Berger (Gif sur Yvette, France), E. Alleno, B. Décamps, G. Schiffmacher (Meudon, France), M. Bohn (Plouzané, France), C. Godart (Meudon, France)

Magnetic properties of new oxides of the type $R_2Ba_2CuPtO_8$ (R=Er and Lu) . . . 127
E.J. Baran (La Plata, Argentina), J. Romero, R. Sáez-Puche, J.L. Martínez (Madrid, Spain)

Structure and thermal behaviour of lanthanum aluminium nitrates . . . 130
A.-E. Gobichon, J.-P. Auffrédic, D. Louër (Rennes, France)

Spectroscopies

Modelling crystal-field interaction for f-elements in $LaCl_3$ . . . 137
V.V. Zhorin, G.K. Liu (Argonne, IL, USA)

High-resolution spectroscopy of rare earth cuprates and nickelates . . . 142
M.N. Popova (Moscow Region, Russia)

Magneto-optics as a tool to study occupied and empty 4f and 5f states . . . 148
J. Schoenes (Braunschweig, Germany)

Electronic and magnetic properties of the 4f and 5f intermetallics from Mössbauer spectroscopy . . . 154
J.P. Sanchez, E. Colineau, P. Vulliet (Grenoble, France), K. Tomala (Krakow, Poland)

NMR spectroscopy of rare earth–3d transition metal alloys . . . 161
C. Kapusta (Kraków, Poland)

Are the odd-rank crystal field parameters independent quantities? . . . 170
L. Smentek (Toruń, Poland), B. Andes Hess, Jr. (Nashville, TN, USA)

Energy level and oscillator strength calculations for Er^{3+}:Y_2O_3: A molecular dynamics based study . . . 174
M. Klintenberg (Uppsala, Sweden), S. Edvardsson (Sundsvall, Sweden), J.O. Thomas (Uppsala, Sweden)

Crystal field and EPR studies of Nd^{3+}:YMO_4 (M=V, As, P) . . . 177
O. Guillot-Noel, B. Viana, D. Vivien, D. Gourier (Paris, France), E. Antic-Fidancev, P. Porcher (Meudon, France)

Local lattice structure, crystal field and energy level patterns in $CsCdBr_3$:Tm^{3+} crystals . . . 181
J. Heber, M. Lange, M. Altwein (Darmstadt, Germany), B.Z. Malkin, M.P. Rodionova (Kazan, Russian Federation)

Photon avalanche upconversion in various Tm^{3+}-doped materials . . . 186
S. Jay, M.-F. Joubert, B. Jacquier (Villeurbanne, France)

NIR to VIS upconversion in $LaCl_3$: 1% Er^{3+}. One- and two-color excitations around 1000 and 800 nm 191
K.W. Krämer, H.U. Güdel (Bern, Switzerland), R.N. Schwartz (Malibu, CA, USA)

Resonant electron–phonon coupling of Yb^{3+} in YAG 196
A. Lupei (Bucharest, Romania), V. Enaki (Chisinau, Moldova), V. Lupei, C. Presura, A. Petraru (Bucharest, Romania)

Cerium-doped $RE^{3+}AlO_3$ perovskite scintillators: Spectroscopy and radiation induced defects 200
J.A. Mareš, N. Čechová, M. Nikl (Prague, Czech Republic), J. Kvapil, R. Krátký (Turnov, Czech Republic), J. Pospíšil (Prague, Czech Republic)

Fast VUV emission of rare earth ions (Nd^{3+}, Er^{3+}, Tm^{3+}) in wide bandgap crystals 205
J. Becker (Hamburg, Germany), J.Y. Gesland (Le Mans, France), N.Y. Kirikova (Moscow, Russian Federation), J.C. Krupa (Orsay, France), V.N. Makhov (Moscow, Russian Federation), M. Runne (Hamburg, Germany), M. Queffelec (Orsay, France), T.V. Uvarova (Moscow, Russian Federation), G. Zimmerer (Hamburg, Germany)

Submillimeter EPR spectroscopy of lanthanide compounds: Pair centers of Ho^{3+} in $CsCdBr_3$ 209
B.Z. Malkin, A.I. Iskhakova, V.F. Tarasov, G.S. Shakurov (Kazan, Russian Federation), J. Heber, M. Altwein (Darmstadt, Germany)

Spectroscopic properties of rare earths in $K_5Bi_{1-x}(RE)_x(MoO_4)_4$ crystals 214
M. Voda, R. Balda, I. Sáez de Ocáriz, L.M. Lacha, M.A. Illarramendi, J. Fernández (Bilbao, Spain)

Comparative spectroscopic and magnetic studies of two types of Ln and Ln:Cu trichloroacetates 219
G. Oczko, J. Legendziewicz, J. Mroziński (Wrocław, Poland), G. Meyer (Köln, Germany)

The influence of aminopolycarboxylic acids on the chemiluminescence of the Eu(II)/Eu(III)–H_2O_2 system 225
M. Elbanowski, M. Kaczmarek, K. Staninski (Poznań, Poland)

Role of the electrostatic model in calculating rare-earth crystal-field parameters 230
S. Edvardsson (Sundsvall, Sweden), M. Klintenberg (Uppsala, Sweden)

Study of the optical properties of Eu^{3+}-doped ZnS nanocrystals 234
L. Sun, C. Yan, C. Liu, C. Liao (Beijing, P.R. China), D. Li (Changchun, P.R. China), J. Yu (Mayaguez, PR, USA)

The reduction of Eu^{3+} in SrB_6O_{10} prepared in air and the luminescence of SrB_6O_{10}:Eu 238
Q. Zeng, Z. Pei, S. Wang, Q. Su (Changchun, P.R. China)

Spectroscopic studies of lanthanide picrate complexes with *N,N*-dimethylacetamide. Structure of the La compound 242
C.V.P. de Melo, G. Vicentini, P.C. Isolani (São Paulo, Brazil), J. Zukerman-Schpector, E.E. Castellano (São Carlos, Brazil)

Up-conversion in Er^{3+}-doped $LiNbO_3$ crystals 246
Y. Ruan, X. Wang (Tianjin, P.R. China), T. Tsuboi (Kyoto, Japan)

Applicability of the shell model for energy transfer 250
T. Luxbacher, H.P. Fritzer (Graz, Austria), C.D. Flint (London, UK)

Luminescence behavior of Eu^{3+} with thenoyltrifluoroacetonate, sulfoxides and macrocyclics 254
H.F. Brito (São Paulo, Brazil), O.L. Malta (Pernambuco, Brazil), C.A. Alves de Carvalho (Ouro Preto, Brazil), J.F.S. Menezes, L.R. Souza, R. Ferraz (São Paulo, Brazil)

Electronic structure of Pr^{3+} and Tm^{3+} doped $LiYO_2$ 258
O.K. Moune, J. Dexpert-Ghys, B. Piriou, M.-G. Alves, M.D. Faucher (Châtenay-Malabry, France)

The excited state absorption of Er^{3+}:$LiYF_4$ and Er^{3+}:$Na_xY_9F_{32}$ 264
C. Labbé, J.L. Doualan, S. Girard, P. Le Boulanger (Caen, France)

Luminescence of uranium in natural apatites 269
G. Panczer (Villeurbanne, France), M. Gaft (Tel-Aviv, Israel), R. Reisfeld (Jerusalem, Israel), S. Shoval (Tel-Aviv, Israel), G. Boulon, B. Champagnon (Villeurbanne, France)

Divalent europium in silica gels 273
J. García, M.A. Mondragón, O. Maya, A. Campero (México D.F, México)

Visible emission processes in heavily doped Er/Yb silica optical fibers 276
F. Goutaland, Y. Ouerdane, A. Boukenter (Saint-Etienne, France), G. Monnom (Nice, France)

Excitation and desexcitation processes of Eu^{3+} luminescence in Eu_2BaZnO_5 279
S. Taboada, A. de Andrés, R. Sáez-Puche (Madrid, Spain)

Transition amplitude calculations for one- and two-photon absorption 284
A.R. Bryson, M.F. Reid (Christchurch, New Zealand)

Crystal field in praseodymium gallium garnet 288
V. Nekvasil, V. Vorlíček, J. Koláček, R. Tesař (Praha, Czech Republic), G. Fillion (Grenoble, France), J. Ostoréro (Meudon, France), M. Lahoubi (Annaba, Algeria)

Spectroscopic studies of $Ln_2Ca_2B_4O_{12}$-Nd^{3+} (Ln=Y, La, Gd) crystals . . . 291
B.V. Mill (Moscow, Russia), A.M. Tkachuk (St. Petersburg, Russia), E.L. Belokoneva, G.I. Ershova (Moscow, Russia), D.I. Mironov, I.K. Razumova (St. Petersburg, Russia)

Absorption and fluorescence spectra of Am^{3+}-doped $Cs_2NaLuCl_6$ elpasolite crystals . . . 295
Y.A. Barbanel', G.P. Chudnovskaya, R.B. Dushin, V.V. Kolin, V.P. Kotlin, S.N. Nekhoroshkov, M.V. Pen'kin (St. Petersburg, Russia)

Luminescence–structure correlation in $CaYOBO_3$:Eu^{3+} . . . 301
S. Hilic, D. Zambon, G. Chadeyron, M. El-Ghozzi, R. Mahiou, J.C. Cousseins (Aubière, France)

Optical spectra and analysis of Pr^{3+} in β-$NaYF_4$ . . . 304
N. Martin, P. Boutinaud (Aubière, France), M. Malinowski (Warsaw, Poland), R. Mahiou, J.C. Cousseins (Aubière, France)

Luminescence properties of $(La,Pr)_2Ti_2O_7$ . . . 307
P.T. Diallo, P. Boutinaud, R. Mahiou, J.C. Cousseins (Aubière, France)

Room temperature fluorescence of $CsCdBr_3$:Re (Re=Pr, Nd, Dy, Ho, Er, Tm) in the 3–5-μm range . . . 311
E. Virey, M. Couchaud, C. Faure, B. Ferrand, C. Wyon, C. Borel (Grenoble, France)

Eu^{3+} and Tb^{3+} organophosphonates: synthesis, characterization and luminescent properties . . . 315
I.L.V. Rosa (São Carlos, Brazil), E.J. Nassar, O.A. Serra (Ribeirão Preto, Brazil)

Electronic structures of highly symmetrical compounds of f elements XXXI. Simulation of the crystal field splitting pattern of $(THF)_3Li(\mu\text{-}Cl)Nd[N(SiMe_3)_2]_3$ . . . 318
S. Jank, H. Reddmann, H.-D. Amberger (Hamburg, Germany)

Electronic structures of organometallic complexes of f elements. XLIV. Parametrization of the crystal field splitting pattern of $[(MeCp)_3PrCl]$ . . . 323
B. Unrecht, H. Reddmann, H.-D. Amberger (Hamburg, Germany)

Optical-physical-electrical properties of Er^{3+}:B_2O_3-BaO-RF glasses . . . 327
R. Gopalakrishnan, N. Rajeshwari, S. Buddhudu (Tirupati, India)

4f–4f intensities of the Tm^{3+} ions in fluoroindate glasses: the influence of third-order effects through odd intensity parameters 333
A. Flórez, M. Flórez (Bucaramanga, Colombia), S.A. López-Rivera, J. Martin (Mérida, Venezuela), P. Porcher (Meudon, France), O.L. Malta (Recife, Brazil), Y. Messaddeq (Araraquara, Brazil), M.A. Aegerter (Saarbrücken, Germany)

Electronic spectral studies on lanthanide(III) in mixed metal environments of the type [Ln(III)·DTPA·M(II)]: Ln(III)=Pr, Nd, Sm, Dy, Er, Tm and M(II)=Mn, Fe, Co, Ni, Cu, Zn . . . 338
P. Pandey, A. Yadav, M. Gautam, P. Rout, M.C. Saxena, S.N. Limaye (Sagar, India)

Upconversion dynamics in Yb^{3+}–Ho^{3+} doped fluoroindate glasses . . . 345
I.R. Martín, V.D. Rodríguez, V. Lavín, U.R. Rodríguez-Mendoza (La Laguna, Spain)

Electron Paramagnetic Resonance study of chosen gadolinium(III) sandwiched- and encapsulated-polyoxometalate complexes . 349
A. Szyczewski, S. Lis, Z. Kruczynski, S. But, M. Elbanowski, J. Pietrzak (Poznań, Poland)

Optical crystal field study of Sm_2O_3 (C- and B-type) . . . 353
J.-F. Martel, S. Jandl (Sherbrooke, Canada), A.M. Lejus, B. Viana, D. Vivien (Paris, France)

Novel polynuclear compound of europium with *N*-phosphonomethylglycine: spectroscopy and structure . . . 356
J. Legendziewicz, P. Gawryszewska, E. Gałdecka (Wrocław, Poland), Z. Gałdecki (Łódź, Poland)

Spectroscopic and crystallographic studies of YAG:Pr^{4+} single crystals . . . 361
D. Pawlak, Z. Frukacz, Z. Mierczyk, A. Suchocki, J. Zachara (Warsaw, Poland)

Spectroscopy of color centers in yttrium–aluminium perovskite crystals . . . 365
A. Durygin (Warsaw, Poland and Lviv, Ukraine), A. Matkovski (Lviv, Ukraine and Rzeszów, Poland), D. Sugak (Lviv, Ukraine), Z. Frukacz, A. Suchocki (Warsaw, Poland)

Compositional dependence of optical properties of Pr^{3+} ions in lithium borate glasses . . . 369
C.K. Jayasankar, P. Babu (Tirupati, India)

High-resolution spectroscopic study of Er:$YAlO_3$ . . . 374
N. Pelletier-Allard, R. Pelletier (Orsay, France)

Correlation-crystal-field delta-function analysis of $4f^2$ (Pr^{3+}) energy-level structure . . . 379
G.W. Burdick (Riverside, CA and Charlottesville, VA, USA), F.S. Richardson (Charlottesville, VA, USA)

Crystal-field effects and simulation of the energy level scheme of Nd^{3+} in magnesium borate $MgNd(BO_2)_5$ . . . 384
C. Cascales, R. Sáez-Puche (Madrid, Spain), P. Porcher (Meudon, France)

Magneto-optical study of $LaF_3:Eu^{3+}$ 388
I. Couwenberg, C. Görller-Walrand (Heverlee, Belgium)

Spectroscopic properties of U^{3+} ions in a $ZnCl_2$-based glass 393
P.J. Dereń, M. Karbowiak (Wrocław, Poland), J.-C. Krupa (Orsay, France), J. Drożdżyński (Wrocław, Poland)

Simulation of the energy levels of Dy^{3+} in DyOCl 398
J. Hölsä, R.-J. Lamminmäki (Turku, Finland), P. Porcher (Meudon, France)

Crystal field effect in RE^{3+}-doped lanthanum oxycyanamide, $La_2O_2CN_2:RE^{3+}$ ($RE^{3+}=Pr^{3+}$ and Eu^{3+}) 402
J. Hölsä, R.-J. Lamminmäki, M. Lastusaari (Turku, Finland), P. Porcher (Meudon, France), E. Säilynoja (Turku, Finland)

The simulation of polarised absorption and magnetic circular dichroism in $LiYF_4:Nd^{3+}$ 407
H. de Leebeeck, C. Görller-Walrand (Leuven, Belgium)

Europium luminescence in $Eu_{1-x}Bi_xV_{1-y}As_yO_4$ materials of tetragonal form 412
A. Lorriaux-Rubbens (Villeneuve d'Ascq, France), E. Antic-Fidancev, M. Lemaitre-Blaise, P. Porcher (Meudon, France), F. Wallart (Villeneuve d'Ascq, France)

Eu^{3+} as a local probe to characterize the structure of acentric $K_4Eu_2(Co_3)_3F_4$ 416
N. Mercier (Le Mans and Angers, France), E. Antic-Fidancev, M. Lemaître-Blaise (Meudon, France), M. Leblanc (Le Mans, France), J.-C. Krupa (Orsay, France)

Spectroscopic properties of erbium doped silica glasses obtained by sol-gel method 420
W. Stręk, P.J. Dereń, K. Maruszewski, E. Pawlik (Wrocław, Poland), W. Wojcik (Lublin, Poland), G.E. Malashkevich (Minsk, Belarus), V.I. Gaishun (Gomel, Belarus)

Energy levels and crystal field calculations of Nd^{3+} in the $REBMO_5$ phases (RE=rare earth, M=Ge, Si) 424
E. Antic-Fidancev, M. Lemaitre-Blaise (Meudon, France), M. Taibi, J. Aride, A. Boukhari (Rabat, Morocco), P. Porcher (Meudon, France)

Saturation effect on multiphonon relaxation rates 430
F. Pellé, N. Gardant, F. Auzel (Meudon and Bagneux, France), Groupe d'Optique des Terres Rares (Meudon, France)

Absorption and fluorescence of Er^{3+}-doped $LiYF_4$: measurements and simulation 435
M.A. Couto dos Santos, E. Antic-Fidancev (Meudon, France), J.Y. Gesland (Le Mans, France), J.C. Krupa (Orsay, France), M. Lemaître-Blaise, P. Porcher (Meudon, France)

New anisotropic rare earth fluorides BaR_2F_8 (R=Y, Dy–Lu): growth and characterization 442
A.A. Kaminskii, A.V. Butashin (Moscow, Russia), J. Hulliger, Ph. Egger (Berne, Switzerland), S.N. Bagayev (Novosibirsk, Russia), H.J. Eichler, J. Findeisen, B. Liu, U. Täuber (Berlin, Germany), P. Peuser (Munich, Germany), S.N. Sulyanov (Moscow, Russia)

XPS study of layered oxysulfides $(La_{1-x}Ca_xO)Cu_{1-y}Ni_yS$ ($y=0$ and $y=x$) 447
Y. Takano, K. Mori, K. Koizumi, H. Ozaki, K. Sekizawa (Tokyo, Japan)

Theoretical study on complex f–f transition simulation of luminescence spectra of nanocrystalline X_1–$Y_2SiO_5:Eu^{3+}$ 450
C. Duan, S. Xia, W. Zhang, M. Yin (Hefei, P.R. China), J.-C. Krupa (Orsay, France)

Optical properties of Nd^{3+}-doped fluorophosphate glasses 455
K. Binnemans, R. Van Deun, C. Görller-Walrand (Heverlee, Belgium), J.L. Adam (Rennes, France)

Electronic Properties

What about the role of B elements in the CMR properties of ABO_3 perovskites? 461
B. Raveau, C. Martin, A. Maignan (Caen, France)

Local spin density functional investigations of the ternary systems UT_2Ge_2 (T=Mn,Fe) 468
S.F. Matar, J. Etourneau (Pessac, France)

Effect of generalized gradient corrections on lanthanide cohesive properties 472
A. Delin, L. Fast, (Uppsala, Sweden) O. Eriksson (Uppsala, Sweden and Los Alamos, NM, USA), B. Johansson (Uppsala, Sweden)

Quenching of cathodic electrogenerated F-center luminescence of aluminium oxide by lanthanide cations at the electrode/electrolyte interface 476
A. Hakanen, E. Laine, M. Latva, T. Ala-Kleme, K. Haapakka (Turku, Finland)

Anisotropy of Cr-like anomaly in $U_{1-x}Ce_xRu_2Si_2$ 480
S. Maťaš, M. Mihalik (Košice, Slovakia), Z. Arnold, J. Kamarád (Prague, Czech Republic), V. Pavlík, K. Flachbart (Košice, Slovakia), A. Menovsky (Amsterdam, The Netherlands)

Magnetoresistance study of some $RENi_2B_2C$ borocarbides 484
V.N. Narozhnyi, V.N. Kochetkov (Moscow Region, Russia and Wrocław, Poland), A.V. Tsvyashchenko, L.N. Fomicheva (Moscow Region, Russia)

Simulation of energy conversion and transfer in CeF_3 after VUV photon absorption 488
R.A. Glukhov (Moscow, Russia and Villeurbanne, France), A.N. Belsky (Moscow, Russia), C. Pedrini (Villeurbanne, France), A.N. Vasil'ev (Moscow, Russia)

Magnetic Properties

Dispersion of f states in U-metal and $CeRh_3$ 493
J. Boysen (Dresden, Germany), P. Segovia (Madrid, Spain), S.L. Molodtsov (Dresden, Germany and St. Petersburg, Russia), W. Schneider (Dresden, Germany), A. Ionov (Moscow-Chernojolovka, Russia), M. Richter, C. Laubschat (Dresden, Germany)

Magnetic properties of 4f-based intermetallics studied by means of ^{155}Gd Mössbauer spectroscopy 498
K.H.J. Buschow (Amsterdam, The Netherlands), F.M. Mulder (Delft, The Netherlands), R.C. Thiel (Leiden, The Netherlands)

De Haas-van Alphen effect in ytterbium and uranium compounds 505
I. Sakamoto, S. Ohara (Nagoya, Japan), I. Oguro (Tokyo, Japan), E. Yamamoto, Y. Haga, Y. Onuki (Ibaraki, Japan), S. Maruno (Nagoya, Japan)

Geometric frustration in Rare Earth antiferromagnetic compounds 510
R. Ballou (Grenoble, France)

The determination of crystal field parameters in rare earth intermetallic compounds 519
J.A. Blanco (Oviedo, Spain)

X-ray magnetic circular dichroism as a tool for magnetic studies of 4f compounds 526
E. Dartyge, F. Baudelet, C. Giorgetti, S. Odin (Orsay, France)

Magnetic properties of iron–oxygen nanostructure doped with 4f elements 533
V. Smirnov, N. Bobrysheva (St. Petersburg, Russia)

Magnetic ordering in the $RE_2Pd_{2+x}Sn_{1-x}$ ternary stannides (RE=Gd, Tb, Dy, Ho, Er) 537
B. Chevalier, F. Fourgeot (Pessac, France), D. Laffargue (Pessac and Gif sur Yvette, France), R. Pöttgen (Münster, Germany), J. Etourneau (Pessac, France)

Magnetic properties of RAuSn compounds 541
S. Baran (Kraków, Poland), J. Leciejewicz (Warsaw, Poland), M. Ślaski (Birmingham, UK), P. Hofmann (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland)

Ordered magnetic moments in $(A,A')Co_2Ge_2$ systems 545
M. Kuznietz, E. Caspi, H. Pinto, M. Melamud (Beer-Sheva, Israel)

Antiferromagnetic and quadrupolar interactions in rare-earth intermetallics 549
M. Amara, P. Morin (Grenoble, France)

Optimisation of 2/17 permanent magnets using the quinary Sm–Co–Cu–Fe–Zr phase diagram 556
A. Lefévre, L. Cataldo, M.Th. Cohen-Adad, B.F. Mentzen (Villeurbanne, France)

Magnetic properties of the high-temperature superconductor $R_2Ba_4Cu_7O_{15-\delta}$ (R=Er, Dy) 560
G. Böttger, P. Allenspach, J. Mesot (Villigen, Switzerland), A. Dönni (Sendai, Japan), Y. Aoki, H. Sato (Hachioji-shi, Japan)

Magnetic properties of singlet ground states in RM_2X_2 compounds 565
J.A. Blanco (Oviedo, Spain), A. Garnier, D. Gignoux, D. Schmitt (Grenoble, France)

Metallurgic, structural and magnetic properties of $Ce(Pd_{1-x}Rh_x)_2Si_2$ 569
O. Trovarelli (Darmstadt, Germany), M. Gómez-Berisso, P. Pedrazzini (San Carlos de Bariloche, Argentina), D. Bosse, C. Geibel (Darmstadt and Dresden, Germany), J.G. Sereni (San Carlos de Bariloche, Argentina), F. Steglich (Darmstadt and Dresden, Germany)

An approach to specify the spin configuration in the RFe_2O_4 (R=Y, Ho, Er, Tm, Yb, and Lu) family: ^{57}Fe Mössbauer study on a single crystal $LuFe_2O_4$ 574
S. Nakamura (Toyosatodai Utsunomiya, Japan), H. Kitô (Tsukuba, Japan), M. Tanaka (Tokyo, Japan)

Magnetic structure of $TbIrSi_3$ compound 578
W. Bażela (Kraków, Poland), N. Stüsser (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland), A. Zygmunt (Wrocław, Poland)

5f-hybridization in URhAl studied by X-ray magnetic circular dichroism 581
W. Grange (Strasbourg, France), M. Finazzi (Grenoble, France), J.-P. Kappler (Strasbourg and Orsay, France), A. Delobbe, G. Krill (Orsay, France), Ph. Sainctavit (Orsay and Paris, France), J.-P. Sanchez, A. Rogalev, J. Goulon (Grenoble, France)

Two types of magnetism in the magnetic superconductor $TmNi_2B_2C$ 587
U. Gasser, P. Allenspach (Villigen, Switzerland), A. Furrer, A.M. Mulders (Delft, The Netherlands)

Magnetic properties and thermal expansion of $DyBa_2Cu_3O_{7-\delta}$ 591
M. Lahoubi (Annaba, Algeria), G. Fillion (Grenoble, France), A. Harat (Annaba, Algeria), H. Bioud (Grenoble, France and El Jadida, Morocco), P. Haen (Grenoble, France), M. Diviš, J. Hejtmánek, V. Nekvasil (Prague, Czech Republic)

High dc fields magnetisation of YbIG at low temperatures 594
M. Lahoubi (Annaba, Algeria), G. Fillion (Grenoble, France), A. Boumali (Annaba, Algeria)

Magnetic phase diagrams of dysprosium iron garnet (DyIG) in high dc fields 598
M. Lahoubi, A. Bouguerra, A. Kihal (Annaba, Algeria), G. Fillion (Grenoble, France)

Magnetic properties of amorphous Sm–Co and Er–Co alloys 602
M.L. Soltani, M. Lahoubi (Annaba, Algeria), G. Fillion, B. Barbara (Grenoble, France)

Magnetotransport and antiferromagnetic coupling in nanocomposites EuS–Co 606
J. Tang, C.E. O'Connor, L. Feng (New Orleans, LA, USA)

Magnetic properties of $RFe_{12-x}Mo_x$ compounds with R=Y, Gd, Ho, Er versus the molybdenum content 611
R. Vert, D. Fruchart (Grenoble, France), B. Garcia-Landa (Grenoble, France and Zaragoza, Spain), D. Gignoux, Y. Amako (Grenoble, France)

A new type of soft ferromagnetic alloys: $RFe_{12-x}Ge_x$ 615
V. Lachêvre, B. Barbara, D. Fruchart, L. Pontonnier (Grenoble, France)

Magnetic properties of zinc-coated $Sm_2(Fe_{0.9}Co_{0.1})_{17}N_x$ powders 620
R. Arlot, K. Machida (Osaka, Japan), P. De Rango, D. Fruchart (Grenoble, France), G. Adachi (Osaka, Japan)

Rare-earth and transition metal sublattice contributions to magnetization and magnetic anisotropy of $R(TM,Ti)_{12}$ single crystals 625
I.S. Tereshina, S.A. Nikitin, T.I. Ivanova, K.P. Skokov (Vorobievy Gory, Russia)

Dimorphism and magnetic properties in iron rare earth germanates 629
C. Cascales, L. Bucio, E. Gutiérrez Puebla, I. Rasines (Madrid, Spain), M.T. Fernández Díaz (Grenoble, France)

Transport and magnetic properties of new ternary $Ce_2T_3X_9$-compounds (T=Rh, Ir, X=Al, Ga) 633
B. Buschinger, O. Trovarelli, M. Weiden (Darmstadt, Germany), C. Geibel, F. Steglich (Darmstadt and Dresden, Germany)

Hydrogen effects on the magnetic properties of $RFe_{11}Ti$ compounds 637
O. Isnard, S. Miraglia, M. Guillot, D. Fruchart (Grenoble, France)

Effect of chemical composition on magnetic properties of $GdNi_2B_2C$ 642
C. Godart (Thiais, France), I. Felner (Jerusalem, Israel), H. Michor, G. Hilscher (Vienna, Austria), E. Tominez, E. Alleno (Thiais, France)

Correlation between the structure and paramagnetic susceptibility of NdOF 646
L. Beaury (Meudon, France), G. Calvarin (Chatenay-Malabry, France), J. Derouet (Meudon, France), J. Hölsä (Meudon, France and Turku, Finland), E. Säilynoja (Turku, Finland)

Yb_2BaCoO_5 magnetic and crystal structure determination from neutron scattering 651
J. Hernández-Velasco, R. Sáez-Puche (Madrid, Spain), J. Rodríguez-Carvajal (Gif sur Yvette, France)

Effects of rare-earth oxides on physical properties of Li–Zn ferrite 657
N. Rezlescu, E. Rezlescu, P.D. Popa, L. Rezlescu (Iasi, Romania)

Orientation of samarium–cobalt compounds by solidification in a magnetic field 660
B.A. Legrand (Grenoble, France), D. Chateigner (Le Mans, France), R. Perrier de la Bathie, R. Tournier (Grenoble, France)

Random anisotropy in UGe_2 amorphous alloy 665
Y. Homma, Y. Takakuwa (Sendai, Japan), Y. Shiokawa, D.X. Li (Ibaraki, Japan), K. Sumiyama, K. Suzuki (Sendai, Japan)

Materials and Devices

Rare earth phosphors: fundamentals and applications 669
C.R. Ronda, T. Jüstel, H. Nikol (Aachen, Germany)

Present and future of magnetooptical recording materials and technology 677
H. Le Gall, R. Sbiaa, S. Pogossian (Meudon–Bellevue, France)

From bulk to film magnetostrictive actuators 685
E. du Trémolet de Lacheisserie, K. Mackay, J. Betz, J.C. Peuzin (Grenoble, France)

Towards composite solid state laser materials 692
F. Auzel (Bagneux, France)

Growth and optical properties of RE doped bulk and fiber single crystals by Czochralski and micro pulling down methods . . 697
Y. Terada, K. Shimamura, T. Fukuda (Miyagi, Japan)

Rare earths in electroluminescent and field emission display phosphors 702
M. Leskelä (Helsinki, Finland)

$SrGa_2S_4$: RE phosphors for full colour electroluminescent displays 709
P. Bénalloul, C. Barthou, J. Benoit (Paris, France)

Optical amplification and laser spectroscopy of neodymium-doped fluoride glass channel waveguides 716
E. Lebrasseur, B. Jacquier, M.C. Marco de Lucas (Villeurbanne, France), E. Josse, J.L. Adam, G. Fonteneau, J. Lucas (Rennes, France), Y. Gao, B. Boulard, C. Jacoboni (Le Mans, France), J.E. Broquin, R. Rimet (Grenoble, France)

Fluorite structural principles: disordered α-phase to ordered intermediate phases in praseodymia 721
Z.C. Kang, L. Eyring (Tempe, AZ, USA)

Physico-chemical properties of $(U,Ce)O_2$ 725
K. Yamada, S. Yamanaka, M. Katsura (Osaka, Japan)

Desorption behavior of hydrogen and water from Yb-doped $SrCeO_3$ 730
S. Yamanaka, M. Katsura (Osaka, Japan)

Cerium-containing glasses for fast scintillators 733
J. Jiang, G. Zhang, M. Poulain (Rennes, France)

Luminescence and properties of La_2O_3–B_2O_3–M_2O_5:Ln (M=Nb(V) or Ta(V) and La_2O_3–B_2O_3–M_2O_5–PbO/Bi_2O_3 glasses . 738
A.C.V. de Araújo, I.T. Weber, W.D. Fragoso, C. de Mello Donegá (Recife, Brazil)

Rare earth-doped alumina thin films deposited by liquid source CVD processes 742
J.L. Deschanvres, W. Meffre, J.C. Joubert, J.P. Senateur, F. Robaut (St. Martin d'Heres, France), J.E. Broquin, R. Rimet (Grenoble, France)

Luminescence properties of rare earth ions in polytantalate 746
S.-i. Kubota, H. Yamane, M. Shimada, H. Takizawa, T. Endo (Miyagi, Japan)

The Y_2BaCuO_5 oxide as green pigment in ceramics 750
F. Fernández, C. Colón, A. Durán, R. Barajas, A. d'Ors, M. Becerril, J. Llopis, S.E. Paje, R. Sáez-Puche, I. Julián (Madrid, Spain)

Coordination Chemistry

Complexation of f electron (3+) ions with pseudohalide ligands 754
M. Borkowski (Warsaw, Poland), S. Lis (Poznań, Poland), S. Siekierski (Warsaw, Poland)

Gas-phase reactions of laser-ablated f element ions with cyclic hydrocarbons: examining ion ablation and reaction mechanisms 759
J.K. Gibson (Oak Ridge, TN, USA)

Isomerism in the adduct of tris(4,4,4,-trifluoro-1-(2-naphthyl)-1,3-butanedionato)europium(iii) with dipyridyl 765
L.C. Thompson, F.W. Atchison (Duluth, MN, USA), V.G. Young (Minneapolis, MN, USA)

Neptunium(IV) and uranium(VI) complexation by hydroxamic acids 769
I. May, R.J. Taylor, I.S. Denniss, G. Brown, A.L. Wallwork (Sellafield, UK), N.J. Hill (Risley, UK), J.M. Rawson, R. Less (Cambridge, UK)

New homochiral lanthanide(III) triflates in Lewis acid catalysis 773
H.C. Aspinall, N. Greeves, E.G. McIver (Liverpool, UK)

Chemometric analysis: Uranium(VI) hydrolysis by UV-Vis spectroscopy 777
G. Meinrath (Freiberg and Passau, Germany)

Lanthanide perrhenate complexes with δ-valerolactam: synthesis, characterization and structure 782
C. Munhoz, P.C. Isolani, G. Vicentini (São Paulo, Brazil), J. Zukerman-Schpector (São Carlos, Brazil)

Structural investigations of *N,N'*-substituted malonamide crystal compounds as a basis to support trivalent lanthanide extraction mechanisms 785
G. Ionova (Bagnols-sur-Cèze, France), R. Guillaumont (Orsay, France), S. Ionov (Moscow, Russia), C. Madic (Bagnols-sur-Cèze, France), M.J. Hudson (Reading, UK)

Synthesis, characterization and study of compounds between hydrated lanthanide (III) perrhenates and 4-methylmorpholine-*N*-oxide (MMNO) 792
V.D. Santos, L.B. Zinner (São Paulo, Brazil), K. Zinner, A.G. Silva (Natal, Brazil)

Compounds of lanthanide picrates and 2-azacyclononanone (aza): synthesis, characterization and thermal study 795
E.P. Marinho, D.M. Araújo Melo, L.B. Zinner, K. Zinner (Natal, Brazil), J.E. Xavier de Matos (Fortaleza, Brazil)

Synthesis and magnetic properties of $(C_5H_5)_3Ce{\cdot}HMPA$ 798
E.M. Aricó (São Paulo, Brazil), B. Kanellakopulos, C. Apostolidis (Karlsruhe, Germany), L.B. Zinner (São Paulo, Brazil)

Kinetic study of the coordination compounds $[M(DMA)_3(H_2O)_6](CF_3SO_3)_3$, where $M=Ce^{3+}$, Tb^{3+} and Lu^{3+} 801
D.M. Araújo Melo, H.E.B. da Silva, L.B. Zinner, O.A. de Oliveira (Natal, Brazil)

Luminescence study on hydration states of lanthanide(III)–polyaminopolycarboxylate complexes in aqueous solution 806
T. Kimura, Y. Kato (Ibaraki, Japan)

Lanthanide complexation with amino acids: Eu(III) with alanine in aqueous methanol 811
H.B. Silber, Y. Nguyen (San Jose, CA, USA)

Crystal structure of europium(II) bis(hydroxyacetate) 815
P. Starynowicz (Wrocław, Poland)

Electronic absorption spectroscopy of neodymium acetate single crystals 818
A. Mondry, K. Bukietyńska (Wrocław, Poland)

Lanthanide ions as templates for the synthesis of new dinuclear octadentate Schiff base complexes of podate type 822
V. Patroniak-Krzyminiewska, W. Radecka-Paryzek (Poznań, Poland)

Coordination and valence of europium in $[Eu(\alpha\text{-}2\text{-}As_2W_{17}O_{61})_2]^{17-}$ and $[Eu(W_5O_{18})_2]^{9-}$ 827
M.R. Antonio, L. Soderholm, G. Jennings (Argonne, IL, USA), L.C. Francesconi, M. Dankova, J. Bartis (New York, NY, USA)

Synthesis and optical features of an europium organic–inorganic silicate hybrid 831
A.C. Franville, D. Zambon, R. Mahiou, S. Chou, Y. Troin, J.C. Cousseins (Aubière, France)

Chemical bond properties of rare earth ions in crystals 835
S.Y. Zhang, F.M. Gao, C.X. Wu (Changchun, P.R. China)

Luminescence of a new Tm^{3+} β-diketonate compound 838
O.A. Serra, E.J. Nassar, P.S. Calefi (Ribeirão Preto, Brazil), I.L.V. Rosa (São Carlos, Brazil)

The 'dissolution' of europium and ytterbium in alcohols 841
J.M. Carretas, J. Branco, J. Marçalo, J.C. Waerenborgh, N. Marques, A. Pires de Matos (Sacavém, Portugal)

Synthesis, characterization and spectroscopic studies of a new europium(III) complex of 3-amino-2-carboxypyridine-*N*-oxide . . 844
M.E. Mesquita (São Cristóvão, Brazil), G.F. de Sá, F.W.J. Demnitz (Recife, Brazil)

Synthesis and characterization of caesium tetrachlorouranate(III) and dicaesium lithium hexachlorouranate(III) 848
M. Karbowiak, J. Drożdżyński (Wrocław, Poland)

Two high and low symmetry europium complexes with L-proline: Spectroscopy and structure 852
E. Huskowska, I. Turowska-Tyrk, J. Legendziewicz, T. Głowiak (Wrocław, Poland)

Complexation of tris(β-diketonato)lanthanoids with monodentate and bidentate Lewis bases in chloroform 859
Y. Hasegawa, A. Hirasawa, S. Yajima (Tokyo, Japan)

Preparation of lanthanide (III) neutral compound ligands in the $Ln(CH_3COO)_3$–HDEHP–decane system and study of their solubility in HDEHP–decane solutions 863
M.I. Melnik, V.I. Spiryakov, V.T. Filimonov, E.A. Karelin (Dimitrovgrad, Russian Federation)

Raman study of alcoholic solutions of anhydrous rare earth chlorides 868
H. Kanno, S. Namekata (Yokosuka, Japan), Y. Akama (Tokyo, Japan)

Synthesis and characterization of scandium(III) complexes with *p*-tert-butylcalix[*n*]arenes ($n=4,6,8$) 872
Y. Masuda, Y. Zhang (Kobe, Japan), C. Yan, B. Li (Beijing, P.R. China)

Heterogenous Catalysis

Oxygen storage and catalytic NO removal promoted by CeO_2-containing mixed oxides 877
R. Di Monte, P. Fornasiero, M. Graziani, J. Kašpar (Trieste, Italy)

Role of cerium–zirconium mixed oxides as catalysts for car pollution: A short review 886
M. Ozawa (Gifu, Japan)

Undercoordinated neodymium and samarium hydrides and alkyls: Their behaviour and stability in solution. Application in isoprene polymerization 891
M. Visseaux, N. André, D. Baudry, A. Dormond, C. Pardes (Dijon, France)

Synthesis, characterization and catalytic activity in cyclohexene hydrogenation of some organolanthanides 894
P.M. Gatti, W. de Oliveira (São Paulo, Brazil)

Characteristics of the electrolytic amalgamation of trivalent f-elements and its application 898
H. Yamana, H. Moriyama (Osaka, Japan)

Catalytic properties of lanthanide amide, imide and nitride formed by thermal degradation of liquid ammonia solutions of Eu and Yb metal 903
H. Imamura, K. Mizuno, K. Ohishi, E. Suda, K. Kanda, Y. Sakata, S. Tsuchiya (Ube, Japan)

Miscellaneous

Immunomodulation by gadolinium chloride-induced Kupffer cell phagocytosis blockade 908
G. Lázár, E. Husztik, G. Lázár, Jr., I. Kiss, J. Oláh, J. Szakács (Szeged, Hungary)

Y(III)-enhanced Dy(III) and Sm(III)-specific electrogenerated luminescence of heterodinuclear **1**–Y(III)–Dy(III)–**1** and **1**–Y(III)–Sm(III)–**1** chelates 911
T. Ala-Kleme, K. Haapakka, M. Latva (Turku, Finland)

Kupffer cell blockade prevents rejection of human insulinoma cell xenograft in rats 915
G. Lázár, Jr., G. Farkas, J. Csanádi, G. Lázár (Szeged, Hungary)

Use of neutron-activation techniques for studying elemental distributions. Applications to geochemistry 918
E. Flitsiyan (Tashkent, Uzbekistan)

Lanthanides in the study of lithologic discontinuity in soils from the Piracicaba river basin 924
E.A. De Nadai Fernandes, F.A. Martins Bacchi (São Paulo, Brazil)

Distribution of REE in shales overlying the Abu Tartur phosphorite deposit, Western Desert, Egypt 929
A.A. Fakhry, K.A. Eid, A.A. Mahdy (Cairo, Egypt)

Advantages and drawbacks of the quantum chemistry methodology in predicting the thermochemical data of lanthanide trihalide molecules 934
L. Joubert, G. Picard, J.-J. Legendre (Paris, France)

Application of ^{241}Am EDXRF to the determination of rare earth samples of solvent extraction processes 940
C. Yan, J. Jia, C. Liao, B. Li (Beijing, P.R. China), W. Li, G. D'Ascenzo (Rome, Italy)

Author Index of Volumes 275–277 945

Subject Index of Volumes 275–277 949

ContentsDirect, the *free* e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk – specifying the title of the publication you wish to register for.